
NEW
Pinnacle H-Groove
PATENTED DESIGN
MARTIN DOOR™
Martin Door®
"The World's Finest, Safest Doors"™
WWW.MARTINDOOR.COM
SINCE 1936

Martin's Exclusive Patented

Steel

Can you tell the difference between Steel and Aluminum?

Martín Door® now offers a patented Steel Athena which gives the same beautiful look as aluminum but up to 40% cheaper.

Front Cover: Pinnacle 163 H-Groove / Smoked Windows / True Bi-Directional Ash Wood Grain Steel

Steel Athena Now Available

Aluminum

Athena 231 / Frosted Windows / Bronze Metallic

PREMIUM STEEL
CORNERSTONE & GATEWAY

Pages 6 - 17

· Cornerstone: 4-Section 7' (2134) High
· Gateway: 5-Section 7' (2134) High
· 24 Gauge · Lifetime Warranty*

Custom Steel-Framed Windows / Short Panel / White Mist

Virginian Short Windows / Short Panel / Grey Yellow

ATHENA
ALL GLASS

Pages 24 - 29

• Aluminum Athena • Steel Athena
• Martin Premium Hardware
• Lifetime Warranty*

231 / White Laminate Windows / Traffic White

212 / White Laminate Windows / Desert Bronze

MARTIN STANDARD
Pages18 - 21

· 4-Section 8' (2438) High · 26 Gauge
· 5 Year Warranty

Oxford Windows / Long Panel / White Mist

FRENCHPORTE
Pages 28 - 29

• Aluminum or Steel • Martin Premium Hardware
• Lifetime Warranty*

Kendra / Smoked Windows / White Mist

* See manufacturer's written warranty for details and limitations.

PINNACLE
CARRIAGE HOUSE

Pages 30 - 37

• Aluminum Pinnacle • Steel Pinnacle
• Martin Premium Hardware
• Lifetime Warranty*

Pinnacle Long Panel H-Groove / Custom Windows / True Bi-Directional Ash Wood Grain Steel

163 H-Groove / Smoked Windows / True Bi-Directional Walnut Wood Grain Steel

83 / Smoked Windows / Pure White / With Antique Hardware

ELITE
CHALET & COPPER

Pages 38-51

· Composite Wood · Copper
· Martin Premium Hardware
· Lifetime Warranty*

9010D / Walnut Stained Kingwood Over Walnut Wood Grain Steel

9009 / Walnut Stained Beachwood over Walnut Wood Grain Steel

Copper / Long Panel / With Antique Hardware

To design your door online visit: design.martindoor.com

CORNERSTONE

Safety, quality and durability have always been Martins first priority. This traditional door is no exception, a beautiful door built to last.

84 Steel-Framed Frosted Windows / Short Panel / White Mist

CORNERSTONE

GOLD MEDAL WINNER

Flush Panel (No Rib) / Walnut Wood Grain Steel

34 Steel-Framed Frosted Windows / Long Panel / Gray White / With Antique Hardware

Ribbed Panel / Terra Brown

83 Steel-Framed Smoked Windows / Grooved Panel / Walnut Wood Grain Steel

CORNERSTONE

Flush Panel (No Rib) / Desert Taupe

83 Steel-Framed Smoked Windows / Short Panel / Walnut Wood Grain Steel

Full View Long Windows Upgrade / Flush Panel (No Rib) / Bright Stainless

Dawn Windows / Short Panel / Adobe Stone

CORNERSTONE

Flush Panel (No Rib) / Sandcast Bronze / With Antique Hardware

33 Steel-Framed Smoked Windows / Long Panel / Walnut Wood Grain Steel

Legend: ∞ - Lifetime Warranty† 5 - 5 Year Warranty† 10 - 10 Year Warranty†

PANEL STYLES

24 gauge steel. 4-section 7' (2134) high. **Optional wide center style available.** - ∞



Long



Short



Grooved



Ribbed



Flush◊ (With Rib)



Flush◊ (No Rib)

COLORS

Long-lasting baked-on enamel paint.

STEEL PAINT COLORS* - 10

White Mist

Light Almond

Dark Brown

Desert Taupe

Adobe Stone

Silver

Bronze

STEEL WOOD GRAIN* - 10

Walnut

Ash

Natural

POWDER COAT COLORS^† - 5

(See full list of colors on page 58-59)





^ Powder coated doors are insulated.
† See manufacturer's written warranty for details and limitations.
◊ Flush doors available in smooth. Call factory for details.

INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

i2 **R8** Steel + Insulation + Vinyl

i3 **R8** Steel + Insulation + Steel

i4 **R14** Steel + 2 Insulation Layers + Steel

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)

P Martin Premium Hardware Package - ∞

S Martin Standard Hardware Package - 5

WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.

(See pages 54 - 55)

WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

GLASS / ACRYLIC

Clear

Frosted

Pebbled

Bronze (Tinted)

Gray (Tinted)

Smoked (Tinted)

LAMINATE

Clear

White

EXTRA OPTIONS

(More information on page 59)

- ◯ MAIL SLOTS
- ◯ VENTS
- ◯ INSIDE LOCK
- ◯ T-HANDLE LOCK
- ◯ VAULT RELEASE
- ◯ ANTIQUE HARDWARE

SECTION JOINT

Tongue & Groove Joint
Industry standard tongue and groove joint.

Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

Flush Panel (No Rib) / White Mist

Virginian Short Windows /Short Panel / Adobe Stone

Ribbed Panel / Oxide Red

GATEWAY

The original raised panel, uniquely designed to have larger header and footer sections. This door does not compromise.

32 Steel-Framed Smoked Windows / Long Panel / White Mist

70 Steel-Framed Smoked Windows / Long Panel / Wide Center Style / Adobe Stone

Short Panel / Wide Center Style / Black Gray / With Antique Hardware

83 Steel-Framed Smoked Windows / Short Panel / Walnut Wood Grain Steel

GATEWAY

Grooved Panel / Ash Wood Grain Steel

32 Steel-Framed Frosted Windows / Long Panel / Natural Wood Grain Steel

Legend: ∞ - Lifetime Warranty† 5 - 5 Year Warranty† 10 - 10 Year Warranty†

PANEL STYLES

5-Section (7' (2134) high) design. 24 gauge steel. **Optional wide center style available.** Max height is 13' 3" (4039). - ∞

(See Gateway panel stacking guide on page 56)



Long | Short | Grooved

COLORS

Long-lasting baked-on enamel paint.

STEEL PAINT COLORS* - 10

White Mist | Light Almond | Dark Brown | Desert Taupe | Adobe Stone | Silver | Bronze

STEEL WOOD GRAIN* - 10

Walnut | Ash | Natural

POWDER COAT COLORS^† - 5

(See full list of colors on page 58-59)

INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

i2 R8	Steel + Insulation + Vinyl	
i3 R8	Steel + Insulation + Steel	
i4 R14	Steel + 2 Insulation Layers + Steel	

^ Powder coated doors are insulated.
† See manufacturer's written warranty for details and limitations.

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)

P Martin Premium Hardware Package - ∞

S Martin Standard Hardware Package - 5

WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.

(See pages 54 - 55)

WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

GLASS / ACRYLIC

Clear

Frosted

Pebbled

Bronze (Tinted)

Gray (Tinted)

Smoked (Tinted)

LAMINATE

Clear

White

EXTRA OPTIONS

(More information on page 59)

- ◯ MAIL SLOTS
- ◯ T-HANDLE LOCK
- ◯ VAULT RELEASE
- ◯ VENTS
- ◯ INSIDE LOCK
- ◯ ANTIQUE HARDWARE

SECTION JOINT

Safety Joint

Martin safety joint helps protect fingers and hands from serious injury.

Short Panel / White Mist

Virginian Short Windows / Short Panel / Desert Taupe

MARTIN STANDARD

Value priced doors with classic designs, durable and virtually maintenance free.

Short Panel / White Mist

70 Steel-Framed Smoked Windows / Grooved Panel / Desert Taupe

Grooved Panel / Adobe Stone

Canterbury Windows / Long Panel / Dark Brown

MARTIN STANDARD

Grooved Panel / Dark Brown

Short Panel / Light Almond

Legend: ∞ - Lifetime Warranty† 5 - 5 Year Warranty†

PANEL STYLES

26 gauge steel. 4-section 8' (2438) high. - 5



Long | Short | Grooved

(For any other Tongue & Groove joint panels, please see the commercial line)

COLORS

Long-lasting baked-on enamel paint.

STEEL PAINT COLORS - 5

White Mist | Light Almond | Dark Brown | Desert Taupe

POWDER COAT COLORS^† - 5

(See full list of colors on page 58-59)



INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

i2 R8	Steel + Insulation + Vinyl	
i3 R8	Steel + Insulation + Steel	
i4 R14	Steel + 2 Insulation Layers + Steel	

^ Powder coated doors are insulated.
† See manufacturer's written warranty for details and limitations.

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.
(More information on page 61)

P Martin Premium Hardware Package - ∞

S Martin Standard Hardware Package - 5

WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.
(See pages 54 - 55)

WINDOW TINT

Insulated glass options are available on most window types.
(See p. 52 for full tint options)

GLASS / ACRYLIC

Clear

Frosted

Pebbled

Bronze (Tinted)

Gray (Tinted)

Smoked (Tinted)

LAMINATE

Clear

White

EXTRA OPTIONS

(More information on page 59)

- ◯ MAIL SLOTS
- ◯ T-HANDLE LOCK
- ◯ VAULT RELEASE
- ◯ VENTS
- ◯ INSIDE LOCK
- ◯ ANTIQUE HARDWARE

SECTION JOINT

Tongue & Groove Joint
Industry standard tongue and groove joint.

Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

DOOR HEIGHT EXAMPLES^

For heights above 8' 9"(2667) refer to door height examples on page 57.

MEASUREMENTS:

18" = 457 mm
21" = 533 mm
24" = 610 mm



^ Please note that the Martin Standard and the Cornerstone tongue and groove joint 8'(2438) is 4 sections vs 5 section for the 8' Safety Joint Cornerstone.

ATHENA

The modern design of glass allows natural light while providing you with security and privacy. Beauty and elegance are at your fingertips.

212 / 232 / Smoked Windows / Iron Stone Metallic

ALUMINUM ATHENA

211 / Clear Windows / Signal White

231 / Smoked Windows / Rusty Iron

STEEL ATHENA

232 /Smoked Windows / Bronze

231 / Frosted Windows / Sandcast Bronze

ATHENA

231 / Frosted Windows / Natural Wood Grain Steel

231 / Frosted Windows / Sandcast Bronze

Legend: ∞ - Lifetime Warranty† 5 - 5 Year Warranty† 3 - 3 Year Warranty† 10 - 10 Year Warranty†

PANEL STYLES

24 gauge steel or aluminum - ∞

8 '- 10'2" (2438 - 3099)


211

212

10'3" - 15'2" (3124 - 4623)


221


222

15'3" - 22' (4648 - 6706)

231


232

Available in aluminum only. (up to 16' 2" 4927)

201


211 Wide


211 Wide

COLORS

Long-lasting baked-on paint.

STEEL PAINT COLORS* - 10

White Mist

Light Almond

Dark Brown

Desert Taupe

Adobe Stone

Silver

Bronze

STEEL WOOD GRAIN* - 10

Walnut

Ash

Natural

POWDER COAT FINISHES† (STEEL- 5 OR ALUMINUM- 3)

(See full list of colors on page 58-59)





* Available in steel only.
† See manufacturer's written warranty for details and limitations.

ANODIZED ALUMINUM FINISH

A natural looking, durable and corrosion-resistant finish. Other colors available upon request.

Clear

Bronze

Black

TEXTURE

Smooth or embossed textures are available on this door.

(Embossed comes standard. Smooth doors are powdercoated)

Smooth Steel

Embossed Steel

Smooth Aluminum

INSULATION

Add insulation for thermal efficiency, noise reduction, durability, and minimal upkeep.

(R-value represents rails only. Total door r-value will vary depending on glass type.)

iF **R14** **Insulated Steel Frame Upgrade**

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)

P **Martin Premium Hardware Package -** ∞

WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

GLASS / ACRYLIC

Clear

Frosted

Pebbled

Bronze (Tinted)

Gray (Tinted)

Smoked (Tinted)

LAMINATE

Clear

White

EXTRA OPTIONS

(More information on page 59)

- ◯ MAIL SLOTS
- ◯ T-HANDLE LOCK
- ◯ VAULT RELEASE
- ◯ VENTS
- ◯ INSIDE LOCK
- ◯ ANTIQUE HARDWARE

SECTION JOINT

Safety Joint

Martin safety joint helps protect fingers and hands from serious injury.

FRENCHPORTE

Madeleine / Smoked Windows / Signal White

Kendra / Smoked Windows / Beige

Legend: ∞ - Lifetime Warranty† 5 - 5 Year Warranty† 3 - 3 Year Warranty† 10 - 10 Year Warranty†

PANEL STYLES

Available in aluminum only - ∞

8 '- 10'2" (2438 - 3099)	10'3" - 15'2" (3124 - 4623)	15'3" - 22' (4648 - 6706)
		
Christina		
		
Jennifer		

24 gauge steel or aluminum - ∞

		
Kendra		
		
Madeleine		

See Athena for colors, texture, insulation, hardware, and tint options.
(pages 26-27)

Jennifer / Frosted Windows / Sandcast Bronze / With Handle Hardware

Jennifer / Frosted Windows / Pure White / With Handle Hardware

ALUMINUM PINNACLE

Built like carriage house doors, but without the high maintenance associated with wood. Many stunning handmade designs to choose from.

115 / Clear Windows / Signal White

86 / Clear Windows / Gray Yellow / With Antique Hardware

63 / Clear Windows / Pure White / With Antique Hardware

66 / Smoked Windows / Rusty Iron / With Antique Hardware

STEEL PINNACLE

PATENTED DESIGN

163 / Smoked Windows / Iron Glimmer

168 / Smoked Windows / Pure White

183 V-Groove / Smoked Windows / Double Stile / True Bi-Directional Walnut Wood Grain Steel

183 V-Groove / Clear Windows / True Bi-Directional Ash Wood Grain Steel

PINNACLE

181 / V-Groove Design / Double Center Stile / Walnut Wood Grain Steel

34 / Smoked Windows / Desert Bronze / With Antique Hardware

Legend: ∞ - Lifetime Warranty† 5 - 5 Year Warranty† 3 - 3 Year Warranty† 10 - 10 Year Warranty†

BASE MATERIAL

24 gauge steel or aluminum - ∞

(More panel styles on page 38 - 39)

STEEL COLOR OPTIONS

Long-lasting baked-on paint.

(See full list of colors on page 58-59)

STEEL PAINT COLORS* - 10

White Mist | Light Almond | Dark Brown | Desert Taupe | Adobe Stone | Silver | Bronze

STEEL WOOD GRAIN* - 10

Walnut | Ash | Natural

POWDER COAT FINISHES† (STEEL- 5 OR ALUMINUM- 3)

(See full list of colors on page 58-59)

DUO-TONE FINISH OPTION

Duo-Tone finish allows you to combine two color choices on one Pinnacle door.
Choose two complementing finishes to enhance the look of your home.

(See available finishes and full list of colors on page 58)

Ash Wood Grain & Desert Bronze | Signal Brown & Mahogany Brown | Walnut & Natural Wood Grain Steel | Antique Silver & Window Gray

* Available in steel only.
† See manufacturer's written warranty for details and limitations.

TEXTURE

Smooth or embossed textures are available on this door.
(Embossed comes standard. Smooth doors are powdercoated)

Smooth Steel | Embossed Steel | Smooth Aluminum

PANEL STYLES*

24 Gauge Steel (Available in 2.5"(64) or 5"(127) groove spacing)



DOUBLE CENTER STILES

Optional double center stiles are available on all H/V Groove designs. Also available with hinges, handles and clavos.



INSULATION

Add insulation with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.

i3 **R8** Steel + Insulation + Steel

i3 **R8** Aluminum + Insulation + Steel

iF **R14** Insulated Steel Frame Upgrade

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

P Martin Premium Hardware Package

WINDOW TINT

Insulated glass options are available on most window types.
(See p. 52 for full tint options)

GLASS / ACRYLIC

Clear

Frosted

Pebbled

Bronze (Tinted)

Gray (Tinted)

Smoked (Tinted)

LAMINATE

Clear

White

EXTRA OPTIONS

(More information on page 59)

- ◯ VENTS
- ◯ VAULT RELEASE
- ◯ MAIL SLOTS
- ◯ INSIDE LOCK
- ◯ ANTIQUE HARDWARE
- ◯ T-HANDLE LOCK

SECTION JOINT

Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

PINNACLE PANEL STYLES

ALUMINUM ONLY

ALUMINUM ONLY

	8' - 10'2"	10'3" - 15'2"	15'3" - 22'	8' - 10'2"	10'3" - 15'2"	15'3" - 22'
FULL HEIGHT	 61	 71	 81	 11	 21	 31
NO ARCH	 62	 72	 82	 12	 22	 32
	 63	 73	 83	 13	 23	 33
	 68	 69	 70	 18	 19	 20
	 64	 74	 84	 14	 24	 34
SINGLE ARCH	 65	 75	 85	 15	 25	 35
	 66	 76	 86	 16	 26	 36
	 67	 77	 87	 17	 27	 37
DOUBLE ARCH			 88		 28	 38
			 89		 29	 39
		 80	 90		 30	 40
CHICAGO	 8	 9	 10	 5	 6	 7

PINNACLE PANEL STYLES

ALUMINUM / STEEL / H-GROOVE

8' - 10'2"	10'3" - 15'2"	15'3" - 22'
111	121	131
112	122	132
113	123	133
118	119	120
114	124	134

ALUMINUM / STEEL / H-GROOVE / V-GROOVE

8' - 10'2"	10'3" - 15'2"	15'3" - 22'
161	171	181
162	172	182
163	173	183
168	169	170
164	174	184

FULL HEIGHT

NO ARCH

ALUMINUM ONLY

115	125	135
116	126	136
117	127	137
	128	138
	129	139
	130	140

ALUMINUM ONLY

165	175	185
166	176	186
167	177	187
		188
		189
	180	190

SINGLE ARCH

DOUBLE ARCH

MEASUREMENTS:

8'-10'2" widths = (2438-3099)
10'3"-15'2" widths = (3124-4623)
15'3"-22' widths = (4648 - 6706)

STANDARD RADIUS:



CHALET

The look and feel of our composite wood is so realistic with its natural texture and detailed wood grain you will think it's made from real wood. It's more durable and easier to maintain as well.

composite wood over composite wood

9009-Custom Arch / Walnut Stained Beachwood over Walnut Stained Kingwood

composite wood over composite wood

CHALET

9007 / 9007D / Dark Stained Kingwood

9007 / Dark Stained Beachwood over Dark Stained Kingwood / With Antique Hardware

composite wood over composite wood

9013D / Walnut Stained Kingwood over Walnut Wood Grain Steel

9013 / White Stained Kingwood over Desert Taupe Steel

CHALET

9007D / Dark Stained Kingwood

9013 / Dark Stained Beachwood / With Antique Hardware

Legend: ∞ - Lifetime Warranty† 10 - 10 Year Warranty†

PANEL STYLES

24 gauge steel. - ∞

(See page 47)

WOOD COLORS

Choose between two wood species and 6 long-lasting wood stains.

WOOD STAINS - 10

Walnut

Dark

Medium

Ash

Natural

White

Primed

WOOD SPECIES - 10

Beachwood

Kingwood

STEEL COLOR OPTIONS

Long-lasting baked-on paint.

(See full list of colors on page 58-59)

STEEL PAINT COLORS* - 10

White Mist

Light Almond

Dark Brown

Desert Taupe

Adobe Stone

Silver

Bronze

STEEL WOOD GRAIN* - 10

Walnut

Ash

Natural

FINISH OPTIONS

Combine two color choices on one Chalet door.
Choose two complementary finishes to enhance the look of your home.

(See available finishes and full list of colors on page 58)

Composite Wood
(Medium Beachwood on Natural Kingwood)

Composite Wood on Wood Grain Steel
(Dark Beachwood on Ash Steel Wood Grain)

Composite Wood on Standard Steel
(Natural Kingwood on Adobe Stone)

* Available in steel only.

† See manufacturer's written warranty for details and limitations.

INSULATION

All doors are insulated with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.

i4 **R14** Steel + 2 Insulation Layers + Steel

i4 **R18** Cladding + Steel + 2 Insulation Layers + Steel

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)

P Martin Premium Hardware Package - ∞

EXTRA OPTIONS

(More information on page 59)

- ◯ MAIL SLOTS
- ◯ VAULT RELEASE
- ◯ VENTS
- ◯ INSIDE LOCK
- ◯ ANTIQUE HARDWARE

SECTION JOINT

Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

9013 / Walnut Stained Kingwood over Walnut Stained Beachwood

CHALET

9013D / Ash Stained Beachwood / With Antique Hardware

9003 / White Stained Kingwood over White Mist Steel

CHALET PANEL STYLES

Custom designs available upon request.

8'-10'2" (2438 - 3099)


9000


9001


9002


9003


9004


9005


9006


9007


9008


9009


9010


9011


9012


9013

15'3" - 22' (4648 - 6706)

9000D


9001D


9002D


9003D


9004D


9005D


9006D


9007D


9008D


9009D


9010D


9011D


9012D


9013D

COPPER

Made from the purest copper, these unique doors offer a rare and distinctive look that will naturally patina, developing with time a breathtaking look.

Flush Panel (With Rib) / Copper

COPPER

Flush Panel (No Rib) / Copper / Commercially Aged

Short Panel / Copper

Long Panel / Copper

Short Panel / Copper / Patina / With Antique Hardware

COPPER

Short Panel / Copper

Dawn & Sunset Windows / Long Panel / Copper / With Antique Hardware

Legend: ∞ - Lifetime Warranty†

PANEL STYLES

99.9% Copper Metal. - ∞



Long



Short



Grooved



Ribbed



Flush (With Rib)



Flush (No Rib)

COLOR

99.9%
Copper Metal

Installed with new copper and in time, the copper door will naturally patina.
Patina rates will vary depending on environment.

INSULATION*

All doors are insulated with steel backing for thermal efficiency, noise reduction, durability, and minimal upkeep.

i3 **R8** Copper + Insulation + Steel

i4 **R14** Copper + 2 Insulation Layers + Steel

† See manufacturer's written warranty for details and limitations.
* i3 Insulation comes standard

HARDWARE

Includes roller, track and accessories for a strong and lasting door system.

(More information on page 61)

P Martin Premium Hardware Package - ∞

Powder Coated Hardware
All Copper model doors come with a white powder coated track and hardware.

WINDOWS

Available in acrylic or tempered glass and in Classic or Steel-Framed windows.

(See pages 54 - 55)

WINDOW TINT

Insulated glass options are available on most window types.

(See p. 52 for full tint options)

GLASS / ACRYLIC

Clear

Frosted

Pebbled

Bronze (Tinted)

Gray (Tinted)

Smoked (Tinted)

LAMINATE

Clear

White

EXTRA OPTIONS

(More information on page 59)

- ◯ MAIL SLOTS
- ◯ VENTS
- ◯ INSIDE LOCK
- ◯ T-HANDLE LOCK
- ◯ VAULT RELEASE
- ◯ ANTIQUE HARDWARE

SECTION JOINT

Safety Joint
Martin safety joint helps protect fingers and hands from serious injury.

Short Panel / Copper

Long Panel / Copper

Flush Panel (With Rib) / Copper

PATENTED DESIGN

STEEL-FRAMED WINDOWS

Martin's innovative window design provides proper wood grain direction and exact color match on these hand crafted sections.

8' - 10'2" (2438 - 3099)	10'3" - 15'2" (3124 - 4623)	15'3" - 22' (4648 - 6706)
12	22	32
13	23	33
14	24	34
62	72	82
63	73	83
64	74	84
68	69	70

WINDOW OPTIONS

WINDOW HEIGHT

15" - 30" (381 - 762)



CENTER STYLE WIDTH

3" - 7" (76 - 177)



Which one would you choose?

Modern Old School

WINDOW TINT & LAMINATE OPTIONS

(Simulated color. In some cases glass tint is lighter than acrylic tint.)

Glass / Acrylic



Laminated



Comes clear or opaque.

INSULATED WINDOW OPTIONS



INSULATED GLASS

Upgrade your Steel-Framed windows with insulated glass.

CLASSIC WINDOWS◊

Old School but not forgotten, Martin Classic Windows come in a variety of beautiful choices.


Virginian Short


Virginian Long

Oxford


Nottingham

Victoria


Lancaster

Roxbury

Canterbury


Starcross

Sherwood Short

Sherwood Long

Horizon

Sunrise

Sunset*

Hampshire

Brentwood*


Banbury*

Newbury

Full View Short

Full View Long

Mediterranean Long

Mediterranean Short

Cathedral

Dawn* (16' - 20' Widths) (4876 - 6096)

Dawn-3 (15' Width) (4572)

Dawn-6 (12' - 15' Widths) (3658 - 4572)

Monterrey*

Madison*

* Not available in 12'-15' (3658-4572) widths.

◊ Not all panel styles allow for windows. Choose Steel-framed windows for exact color match.

DOUBLE PANE

Upgrade your Classic Windows with an acrylic double pane option.

Double Pane Window adds additional sound reduction and is ideal for hot or cold climates.

INSULATION

Insulation increases thermal efficiency, helps decrease noise levels and improves the appearance of the door interior. Choose steel backed insulation for durability and minimal upkeep.

ATHENA & PINNACLE



Pinnacle Panels
Polystyrene insulation with heavy-gauge color-matched steel backing.

iF **R14** ◊

Athena & Pinnacle Rails
Polyurethane insulated rails.

CHALET



i4 **R14** i4 **R18**

(Cladding) + Steel + 2 Insulation Layers + Steel

1-layer of polystyrene and 1-layer of thermal insulation.

CORNERSTONE, GATEWAY & STANDARD

N1

Steel

2" (51) Thick door construction.



i2 **R8**

Steel + Insulation + Vinyl

Polystyrene insulation with vinyl paneled backing.

i3 **R8**

Steel + Insulation + Steel

Polystyrene insulation with heavy-gauge steel paneled backing.



i4 **R14**

Steel + 2 Insulation Layers + Steel

1-layer of polystyrene and 1-layer of thermal insulation.

PROTECTIVE SYSTEM

Martin Multi-layered baked-on enamel paint ensures superior corrosion resistance and a durable finish.



◊ R-value represents rails only. Total door r-value will vary depending on glass type.

DOOR HEIGHT EXAMPLES

For Safety Joint Cornerstone and Copper doors up to 20' (6096). (See Page 21 for Tongue and Groove Joint)







Height	21"	24"	Total
14'0" (4267)	0	7	7
14'3" (4343)	7	1	8
14'6" (4420)	6	2	8
14'9" (4496)	5	3	8
15'0" (4572)	4	4	8
15'3" (4648)	3	5	8
15'6" (4724)	2	6	8
15'9" (4801)	1	7	8
16'0" (4877)	0	8	8
16'3" (4953)	7	2	9
16'6" (5029)	6	3	9
16'9" (5105)	5	4	9
17'0" (5182)	4	5	9
17'3" (5258)	3	6	9
17'6" (5334)	2	7	9
17'9" (5410)	1	8	9
18'0" (5486)	0	9	9
18'3" (5563)	7	3	10
18'6" (5639)	6	4	10
18'9" (5715)	5	5	10
19'0" (5791)	4	6	10
19'3" (5867)	3	7	10
19'6" (5944)	2	8	10
19'9" (6020)	1	9	10
20'0" (6096)	0	10	10

MEASUREMENTS:

18" = 457 mm
21" = 533 mm
24" = 610 mm

GATEWAY PANEL STACKING GUIDE

On some heights the Gateway has a larger header and footer sections that completes this unique look. The Gateway stacking has a max height of 13'3" [4039].



6' 3" [1905] 6' 6" [1981] 6' 9" [2057] 7' 0" [2134] 7' 6" [2286] 7' 9" [2362] 8' 0" [2438] 8' 3" [2515]



8' 9" [2667] 9' 0" [2743] 9' 3" [2819] 9' 6" [2896] 10' 0" [3048] 10' 3" [3124] 10' 6" [3200] 10' 9" [3277]

MEASUREMENTS:

15" = 381 mm
18" = 457 mm
19.5" = 495 mm

ADDITIONAL OPTIONS

DOOR ACCESSORIES

Customized features make Martin Garage Doors a unique and individualized door. Martin's many unique options and security features bring style and functionality to any door.

Mail Slots
Available in brass or brushed aluminum.
*Cannot be painted.

Vents
Color matched with the rest of the door.

Outside T-Handle Lock
Chrome, brass or black.

Inside Side Latch Lock
(Padlock Not Included)

Vault Release
Allows you to open and close the door during power outage.

HARDWARE KIT

Beautiful matching hinges and handles add a touch charm to your garage door. Can be powder coated.



hd102 x 2



hd105* x 4

* hd105 only comes in a hardware kit.

Pinnacle 183 / True Bi-Directional Walnut Wood Grain Steel

POWDER COAT FINISHES

Martin's powder coat finishes are long-lasting and durable.

SOLID

Sapphire Blue
RAL 5003

Azure Blue
RAL 5009

Pigeon Blue
RAL 5014



Dark Brown
CS 0003

Beige Gray
RAL 7006

Desert Taupe
CS 0005

Stone Gray
RAL 7030

Silk Gray
RAL 7044

Platinum Gray
RAL 7036

Telegray 4
RAL 7047

Signal Red
RAL 3001

Wine Red
RAL 3005

Jet Black
RAL 9005

Black Gray
RAL 7021

Slate Gray
RAL 7015

Basalt Gray
RAL 7012

Window Gray
RAL 7040

White Mist
CS 0001

Traffic White
RAL 9016

Signal White
RAL 9003

Brown Red
RAL 3011

Oxide Red
RAL 3009

Red Brown
RAL 8012

Signal Brown
RAL 8002

Copper Brown
RAL 8004

Beige Red
RAL 3012

Beige
RAL 1001

Light Ivory
RAL 1015

Oyster White
RAL 1013

Pure White
RAL 9010

Fir Green
RAL 6009

Brown Green
RAL 6008

Black Green
RAL 6012

Moss Green
RAL 6005

Pine Green
RAL 6028

Dark Chocolate
CS 3070

Mahogany Brown
RAL 8016

Terra Brown
RAL 8028

Pale Brown
RAL 8025

Adobe Stone
CS 0004

Gray Yellow
RAL 1019

Tarpaulin Gray
RAL 7010

Mouse Gray
RAL 7005

Reed Green
RAL 6013

Cement Gray
RAL 7033

Moss Gray
RAL 7003

Pebble Gray
RAL 7032

Light Almond
CS 0002

Gray White
RAL 9002

POWDER COAT FINISHES

Martin's textured metallic powder coat finishes are long-lasting and durable.

METALLIC

Walnut Vein
CS 3040

Mahogany Vein
CS 3050

Rusty Iron
CS 2005

New Copper
CS 2015

Olive Bronze
CS 3025

Redwood
CS 3065

Cherry Wood
CS 3060

Corten
CS 4025

Copper Vein
CS 2010

Copper Gold
CS 3030

Mesquite
CS 3055

Bronze
CS 4030

Oak Stone
CS 1055

Tanzanite Metallic
CS 4020

Golden Oak
CS 3035

Red Pine
CS 3045

Sandcast Bronze
CS 3020

Bronze Metallic
CS 3015

Sage Metallic
CS 4005

Patina Green
CS 4010

Emerald Metallic
CS 4015

Starlite Granite
CS 1005

Desert Bronze
CS 3010

Weathered Iron
CS 1975

Silver Shadow
CS 1985

Antique Silver
CS 1980

Metallic Aluminum
CS 1035

Bright Stainless
CS 1030

Iron Glimmer
CS 1045

Ironstone Metallic
CS 1050

Metallic Pewter
CS 1040

Champagne Metallic
CS 3005

Available in high / low gloss.

Color samples will vary due to printer's color adjustments. For color accuracy see actual color chips.

All steel and copper doors have an embossed texture, unless ordered smooth.

Aluminum doors are smooth.

Insulation is required on powder coated doors.

COMPARISON CHART

	Premium Steel			Elite			
	Cornerstone	Gateway	Martin Standard	Chalet	Copper	Athena	Pinnacle
Material							
High Tensile Steel	■	■	■	■		■	■
Steel + Wood Composite Overlay				■			
Extruded Aluminum						■	■
Copper					■		
Panels							
Short, Long, Grooved	■	■	■		■		
Ribbed	■				■		
Flush	■				■		
Special				■		■	■
Number of Sections to 7'							
4-Section	■		■		■		
5-Section		■					
Varies				■		■	■
Stiles							
Standard	■	■	■		■		
Wide	■	■			■		
Varies				■		■	■
Steel Windows							
Acrylic or Tempered Glass	■	■	■		■	■	■
Insulated Glass	■	■	■		■	■	■
Laminated Glass	■	■	■		■	■	■
Classic Windows							
Acrylic or Tempered Glass	■	■	■		■		
Double Pane	■	■	■		■		
Gauge							
Steel - 26			■				
Steel - 24	■	■		■		■	■
Copper - 23					■		
Aluminum - 14						■	■
Color Options							
White Mist, Lt. Almond, Dk. Brown, Dsrt. Taupe	■	■	■	■		■	■
Adobe Stone, Silver, Bronze	■	■		■		■	■
Powder Coat	■	■	■			■	■
Walnut, Ash, Natural Wood Grain Steel	■	■		■		■	■
Dark, Medium, White, Primed Wood Stains				■			
Insulation Value							
R8	■	■	■		■		
R14	■	■	■	■	■		
R18				■			
Varies						■	■
Warranty†							
Lifetime Section & Parts	■	■		■	■	■	■
5 Year Warranty Section & Parts*			■				
5 Year Delamination Warranty				■			
Hardware, Hinges, Track & Roller							
Martin Standard Hardware Package	■	■	■				
Martin Premium Hardware Package	■	■	■	■	■	■	■
Galvanized Springs	■	■	■	■	■	■	■
Safety Joint	■	■	■	■	■	■	■
Tongue & Groove Joint	■	■	■				

† See manufacturer's written warranty for details and limitations. Limited warranty in some environments, climates, coastlines and all of Hawaii and Middle East region. Powder coat warranty on steel is 5 years. Powder coat warranty on aluminum is 3 years. Steel-Framed Windows warranty is 10 years except Copper & Martin Standard which are 5 years. Classic Windows warranty is 3 years. 10 year paint warranty excluding Martin Standard, which is 5 years.

* Martin Standard can be upgraded to premium hardware, which comes with a lifetime warranty.

HARDWARE

Martin's hardware is long lasting, corrosion resistant, and has better safety features than industry standard.

	INDUSTRY STANDARD	MARTIN STANDARD	MARTIN PREMIUM
Spring Center-mount springs have a high risk of explosive discharge due to spring torque. Martin's side-mounted Safety Spring system helps prevent accidents from happening. Side or center-mount springs are available on all doors.	× 1 Oil-tempered spring 5,000 - 10,000 life cycle	× 2† Galvanized Springs 15,000 life cycle	× 2† Galvanized Springs 30,000 life cycle
Track & Roller Martin hardware comes with hemmed edges and reduced holes size to help prevent injury. Martin rollers have 11 sealed ball bearings, and are pre-lubricated for smooth use. Roller shields are used for additional finger safety.			 16 Gauge Steel Reverse Angle
Hinge Martin's low-profile safety hinge used on all doors reduces the gap between sections.	 16 Gauge	 12 + 14 Gauge	 10 + 14 Gauge
Lift Cable Martin's thicker 1/8" (3mm) cable protects from breakage, making your door safer.	 3/32" (2.4mm) thick No loop protection **WARNING** INJURY OR DEATH	 1/8" (3mm) thick 2000 lbs. lift capacity Extra loop protection **5 Year Warranty**	 1/8" (3mm) thick 2000 lbs. lift capacity Extra loop protection **Lifetime Warranty***

* See manufacturer's written warranty for details and limitations.
† Some doors require only one spring due to weight.

MARTIN ADVANTAGE



How do other garage doors compare to Martin?

These upgrades are included on most Martin garage doors, and are usually an up-charge or not included at all on companies doors.

Safety Items that help protect you from injury	Martin	Others
1. Controlled Descent Device†	✓	—
2. Side Spring Anchor Bracket	✓	—
3. Safety Set Screws	✓	—
4. Curve Shields†	✓	—
5. Acrylic Panes for Windows	✓	✓
6. Rolled Edges on Tracks	✓	—
7. Rolled Edges, Stiles / Sections	✓	—
8. Roller Shields™†	✓	—
9. Round Corners on Brackets	✓	—
10. Rolled Edge Rev. Angle Shields†	✓	—
11. Safer Joint†	✓	—
12. Reduced Hole Sizes in Tracks	✓	—
13. Low Profile Safety Hinges	✓	—
14. Concealed Lift Cables	✓	—
15. De-burred Steel Parts	✓	—
16. Lock-on Bottom Roller Brackets	✓	—

Long Life		
A. Two Galvanized Torsion Springs†	✓	—
B. Hot-Dip Galvanized Steel	✓	—
C. Extruded Holes For Fastening Screws	✓	—
D. Hardened Fasteners	✓	—
E. Longer Stem Rollers†	✓	—
F. Minimum Four Sections High	✓	✓
G. 3-Layer Hinge, Stile, Section Fastening	✓	—
H. Higher Wind Load Ratings*	✓	—
I. Sealed Bearing Nylon Rollers†	✓	—
J. Commercial Grade Roller Brackets†	✓	—
K. Self-Adjusting Lift Cables	✓	—
L. Hardware Tested to 100,000 Cycles†	✓	—
M. Full Length Bottom Reinforcing Angle	✓	—

Convenience		
AA. Home Owners Information	✓	—
BB. Dry Wall Mount Certified†	✓	—
CC. 2" Wider Door Provides Weather-seal	✓	—

* Not applicable on Martin Standard
† Optional upgrade on some models

INDUSTRY STANDARD GARAGE DOORS ARE DANGEROUS

Martin protects children and adults from serious injuries and death.

COMMON INJURIES - PER YEAR*

Finger crushing, dislocation, amputation or death

Snow Blowers	Push Mowers	Garbage Disposals	Garage Doors
9,275			15,259

*According to a recent report from the Consumer Product Safety Commission NEISS survey.

Industry Standard Joint



WARNING SERIOUS INJURY

Industry Standard Track

WARNING SERIOUS INJURY

Industry Standard Spring



WARNING INJURY OR DEATH

Safety Joint System



Safety Track System

Safety Spring System

UNITED STATES OF AMERICA
CONSUMER PRODUCT SAFETY COMMISSION

WINNER OF THE INNOVATIONS IN AMERICAN GOVERNMENT AWARD WELCOMES THE PLEDGE OF

Martin Door Manufacturing

Beauty Meets Safety and Innovation

Martin Door's safety joint is designed to help protect you while adding strength to your door. This joint is available on all Martin doors, improving the design and enhancing beauty.

No other brand offers such a comprehensive system

AD-B16-06

MARTIN DOOR

2828 S 900 W, SLC, UT 84119 · 1(800)388.9310
WWW.MARTINDOOR.COM
MADE IN USA SINCE 1936